

**Amendments To The Claims**

74. (Original) A method of treating B cell lymphoma in a patient in need of such treatment which method includes the administration of anti-IL10 antibody and at least one B cell depleting antibody.

---

B1<sup>0</sup> 75. (Currently amended) The method of Claim 63 74 wherein said B cell depleting antibody binds to a B cell antigen from the group consisting of CD19, CD20, CD22, CD23, CD27, CD37, CD53, CD72, CD73, CD74, CD $\omega$ 78, CD79a, CD79b, CD80, CD81, CD82, CD83, CDw84, CD85 and CD86.

---

76. (Original) A method of treating B cell lymphoma in a patient in need of such treatment which method comprises the administration of an anti-IL10 antibody and a B cell depleting anti-CD20 or anti-CD22 antibody.

77. (Original) A method of treating B cell lymphoma in a patient in need of such treatment comprising the administration of an anti-IL10 antibody and a B cell depleting anti-CD20 antibody.

78. (Original) A method of treating non-Hodgkin's lymphoma in a patient in need of such treatment comprising the administration of an anti-IL10 antibody and a B cell depleting antibody.

79. (Original) A method of treating non-Hodgkin's lymphoma in a patient in need of such treatment comprising the administration of an anti-IL10 antibody and a B cell depleting anti-CD20 antibody.

---

B1 81. (Currently amended) The method of Claim 77 wherein said antibody is ~~Rituxan~~ RITUXAN® (rituximab).

82. (Currently amended) The method of Claim 79 wherein said antibody is ~~Rituxan~~ RITUXAN® (rituximab).

---

83. (Original) A combination therapy for treating B cell lymphoma in a patient comprising the administration of a therapeutically effective amount of an anti-IL10 antibody, a B cell depleting anti-CD20 antibody and chemotherapy.

B12 84. (Currently amended) The method of Claim 83 wherein said anti CD20 antibody is ~~Rituxan®~~ RITUXAN® (rituximab).

85. (Original) The method of Claim 83 wherein said patient has relapsed following previous treatment with a B cell depleting antibody.

B13 86. (Currently amended) The method of Claim 85 wherein said antibody is ~~Rituxan®~~ RITUXAN® (rituximab).

87. (Previously added) The method of Claim 75 wherein the B cell depleting antibody binds CD20.

89. (Previously added) The method of Claim 87 wherein said antibody is a chimeric anti-CD20 antibody.

B14 90. (Currently amended) The method of Claim 89 wherein said chimeric anti-CD20 antibody is RITUXAN® (rituximab).

91. (Previously added) The method of Claim 74 wherein said treating is combined with chemotherapy.

92. (Previously added) The method of Claim 74 wherein said B cell lymphoma is selected from the group consisting of low grade/follicular non-Hodgkin's lymphoma (NHL), small lymphocytic (SL) NHL, intermediate grade/follicular NHL, intermediate grade diffuse NHL, high grade immunoblastic NHL, high grade lymphoblastic NHL, high grade immunoblastic NHL, high grade lymphoblastic NHL, high grade small non-cleaved cell NHL, bulky disease NHL and Waldenstrom's Macroglobulinemia.

93. (Previously added) The method of Claim 74 wherein said antibodies are administered by intravenous, intramuscular, intratumoral or intraperitoneal administration.

94. (Previously added) The method of Claim 91 wherein said chemotherapy is selected from the group consisting of CHOP, ICE, Mitoxantrone, Cytarabine, DVP, ATRA, Idarubicin, hoelzer chemotherapy regime, La La chemotherapy regime, ABVD, CEOP, 2-CdA, FLAG & IDA (with or without subsequent G-CSF treatment), VAD, M&P, C-Weekly, ABCM, MOPP, DHAP, daunorubicin, doxorubicin, methotrexate, and cisplatin.

95. (Previously added) The method of Claim 74 wherein either or both of said antibodies are human, humanized or chimeric antibodies.

---

96. (Previously added) The method of Claim 74 wherein the dosage of said antibodies range from 0.01 to 1000 mg/kg body weight.